FERTILIZER AND MINING DIVISION



Stauffer Chemical Company

Manila Star Route / Vernal, Utah 84078 / Telephone (801) 789-2233

December 28, 1979

Mary Ann Wright Reclamation Biologist Division of Oil, Gas, and Mining 1588 West North Temple Salt Lake City, Utah 84116

REGENTED

DEC 31 19/9

DIVISION OF OIL, GAS & MINING

Dear Ms. Wright:

The following comments are submitted in response to your August 2, 1979, letter requesting more information concerning the mined land reclamation plan for the Vernal Mine.

Concerning the reclamation of the present tailings area, paragraph #2, Stauffer will impound no more than nine (9) vertical feet of water in the lowest part of the area being drained by the spillway.

Concerning Division recommendations in working towards an approved plan, paragraph #2, Stauffer agrees to provide notice prior to constructing "road fill" structures across major drainages. The data outlined in your December 17, 1979, letter and prepared by Mike Thompson will be supplied with the following exception: A standard USGS map of the general area will be submitted rather than a 1" = 500' scale map (paragraph #6).

It must also be understood that "road fill" structures, as used above, are not waste dumps later modified to accommodate a haulroad, but are long, narrow, relatively high structures constructed for the primary purpose of crossing a drainage for access purposes.

The following information is submitted as a basis for working out a surety agreement in the form of a reclamation contract, paragraph #6.

- (a) Attached is a map of the immediate mine plan area delineating those areas disturbed prior to 1975 and those areas disturbed since 1975. Included in those areas disturbed since 1975 are areas disturbed prior to 1975, but utilized since that time.
- (b) The total number of acres disturbed as outlined on the attached map (31-200B) are broken down as follows:

	Pre 1975	Since 1975	Total
Plant Giles		0.7	07
Plant Site		87	87
Tailings Dam #1		29	29
Tailings Dam #2		67	67
Mines & Dumps	388	42	430
Haulroads	n/a	26	26
Access Roads	n/a	19	19
Misc. Roads	_12		_12
	400	270	670

- (c) At the anticipated mining rate of 1.4 MM TPY of ore, the green shaded area on Dwg. #31-200A represents approximately 15 years of mining reserve. At the rate of 1.4 MM TPY of ore, approximately 30 acres per year of new land will be disturbed. It will be stauffer's policy to reclaim as many acres per year as are disturbed during that particular year. Therefore, since 270 acres are now subject to the State's reclamation requirements, since it is anticipated that at least 30 more acres will be disturbed before a comprehensive reclamation plan is developed (one year's mining activity), and since it will be Stauffer's policy to reclaim in any one year as much area as is disturbed that year, the average number of acres which would be in a disturbed state during any given year would be approximately 300 acres.
- (d) When reclamation activities are conducted in conjunction with ongoing mining activities, reclamation costs can be minimized. Stauffer's experience to date, based on S.E. Idaho reclamation activities, is that reclamation costs, per se, run about \$500 per acre. Included in that cost are seed bed preparation, seed and fertilizer, and a minimum amount of contouring and reshaping. Applying that cost against the average number of acres that would be in a disturbed state during one year amounts to a total of \$150,000. Rather than posting a bond, I'm sure Stauffer would much rather enter into a reclamation contract whereby the reclamation requirements eventually agreed upon will be carried out under the personal quarantee of the Mine Operator (Stauffer Chemical Co.).

Concerning Stauffer Chemical Company's commitment to develop a reasonable revegetation program pursuant to the requirements of

Ms. Mary Ann Wright December 28, 1979 Page 3

Rule M-10 (12), paragraph #7, the following summary information is submitted and attached to this letter.

- (1) Soil Conservation Service Plots 1978
- (2) Utah Division of Wildlife Resources Plots 1978
- (3) Stauffer Chemical Company Test Plots 1979
- (4) Long Range Revegetation Program

The draft "Mine Land Reclamation Contract" you submitted for our review on December 17, 1979, has a number of requirements that need to be reviewed by Stauffer's legal counsel. Also, some of the provisions do not agree exactly with what is outlined in this letter. In light of this, we would like to rewrite the draft and submit a counter proposal for your review.

Please do not hesitate to call me if you have any questions.

Yours very truly,

STAUFFER CHEMICAL COMPANY

F. L. Riding, Plant Manager

FLR/db

enclosures (4)

cc: D. L. King, Jr.

T. J. Scheffel

LONG RANGE REVEGETATION PROGRAM

Stauffer Chemical Company - Vernal Mine

Stauffer Chemical Company intends to exert a reasonable effort to comply with the State of Utah, Division of Oil, Gas and Mining reclamation requirements.

All waste dump slopes will be graded to an angle of $2\frac{1}{2}:1$ (22°) to decrease soil erosion and facilitate the establishment of plant material.

Whenever possible, topsoil or subsoil will be placed on the waste dump areas just prior to seeding.

If the experimental plots of 1979 indicate that fertilizer will improve seeding success at a reasonable cost, then soil tests will be performed to determine the nutrient requirements.

All seeding will be performed in the fall of the year with a ten foot wide rangeland seed drill.

The area to be revegetated will be ripped to a depth of 2-3 feet to increase the water holding potential. The ripping will be along the contour of the slopes.

Species selection will be a self-sustaining vegetative cover of non-noxiousperennial plants, including both native and introduced types. The exact species selection and seeding rate will be determined from the experimental plots planted in 1978 and 1979. Species selection will also reflect the post-mining land use as set forth in Rule M-10 (1).

Stauffer Chemical Company plans to reclaim, each year, an area equal in size to what is disturbed that year, provided that:

- 1. Areas are ready for seeding.
- 2. Weather conditions are favorable.
- 3. Equipment availability is adequate.

At the current ore production rate of 1.4 MM tpy, that area is estimated to be 30 acres/year.

An annual report will be submitted at the end of each year. It will include the results of the previous year's reclamation work, a discussion of the current year's reclamation activities, and an outline of reclamation plans for the ensueing year.

STAUFFER CHEMICAL COMPANY TEST PLOTS - 1979

Stauffer Chemical Company - Vernal Mine

In order to compile more accurate data for a successful revegetation program at Vernal, Stauffer Chemical Company initiated a species testing program of its own at the mine site in October, 1979. The results of this program, in conjunction with the results of the Division of Wildlife Resources plots and the Soil Conservation Service plots planted at the mine in 1978, will provide the reliable information that is needed to prepare a successful long range revegetation plan.

The test plots were established on an old waste dump slope covering approximately 0.9 acres. The slope aspect ranges from southwest to southeast with a slope angle approximately $2\frac{1}{2}:1$. The plots were placed in strips along the contour of the slope with each plot approximately 10' wide x 250' long.

The only seed bed preparation consisted of ripping the slope along the contour to a depth of 2-3 feet.

The plots were arranged in the following order (top to bottom). See attached exhibit.

- 1. Grass seed mix
- Grass seed mix and fertilizer 2.
- 3. Grass seed mix
- Grass seed mix and fertilizer
- 5. Control strip - bare
- Brush seed mix 6.
- 7. Brush seed mix and fertilizer
- 8. Brush seed mix
- Brush seed mix, straw mulch and fertilizer Control strip bare $% \left(1\right) =\left(1\right) +\left(1\right) +\left($ 9.
- 10.
- 11. Grass seed mix and brush seed mix
- 12. Grass seed mix and brush seed mix
- Grass seed mix, brush seed mix, fertilizer and straw mulch 13.
- 14. Grass seed mix, brush seed mix, fertilizer and straw mulch

The seeding mixtures were a combination of native and introduced species. These were selected from a visual check of the 1978 experimental plots established by the Soil Conservation Service and Division of Wildlife Resources. The mixtures and rates of application are as follows:

Grass seed mix

1.	Agropyron riparium (Sodar)	Streambank wheatgrass	1bs/acre 4			
2.	Agropyron trichophorum (Luna)	Pubescent wheatgrass	3			
3.	Elymus junceus	Russian wildrye	4			
4.	Agropyron intermedium	Intermediate wheatgrass	2			

			lbs/acre
	Agropyron spicatum	Bluebunch wheatgrass	4
6.	Oryzopsis hymenoides	Indian ricegrass	3
7.	Medicago sativa (Lahontan)	Lahontan alfalfa	3
8.	Melilotus officinalis	Yellow sweet clover	2
		Pure live seed	25 lbs/acre

Brush Mix

			lbs/acre
1.	Artemesia tridentata	Big sagebrush	7
2.	Purshia tridentata	Antelope bitterbrush	22
		Pure live seed	29 Ibs/acre

The fertilizer, 16-20-0, was applied with a broadcast hand spreader at 400 lbs/acre. This will provide 64 lbs/acre available nitrogen and 80 lbs/acre available phosphate. The fertilizer was applied before seeding so that the discs of the rangeland drill could work the fertilizer into the soil.

The straw mulch was applied by hand before seeding to allow the drill discs to crimp the straw into the soil. A second crimping of the straw was done by the drill after seeding.

The seed was planted 1/2" to 3/4" deep with a teen foot wide rangeland drill.

Germination, growth, and percent surface cover for these replication plots will be recorded. The results of fertilizing, mulching, benching, or any combination of these techniques can then be determined.

2. GRASS SEED MIX AND FERTILIZER
3. GRASS SEED MIX
4. GRASS SEED MIX AND FERTILIZER
5. CONTROL STRIP - SATE

GRASS DEED MIX PLOT REPLICATIONS

A BROWN SEED FOR STOLLING STRAW MUCCH

TO CONTROL STRUKT BARE

1. GRASS GEED MIK AND BRUSH GEED MIX

1. 2 GRASS VEED MIK AND BRUSH GEED MIX

1. 3 GRASS VEED MIK AND BRUSH GEED MIX

1. 4 GRASS AND GRUSH SERO MIX PLUS REPTIL TER AND STRAW MULCH

1. 4 GRASS AND GRUSH SERO MIX PLUS REPTIL TER AND STRAW MULCH

7 BRUSH CEED Mix will FEATURER

6 BRUSH SEED MIX

PLOT NUMBER 4 N O V O Z 4 **ご** ら BENCH BENCH BENCH BENCH BENCH ELEVATION 6650 TOP OF DUMP

BOTTOM OF DUMP

PLOT SIZE FORT X 225-295FT TOTAL REPLICATION AREA - 130 ACRES

STAUFFER CHEMICAL COMPANY

PLE CELT E NAC SETTAMATON

TITLE STORMS OF

1.30*ft*

SOIL CONSERVATION SERVICE PLOTS - 1978


Stauffer Chemical Company - Vernal Mine


In November, 1978, the Soil Conservation Service stationed at Vernal, Utah, conducted a grass trial planting on one of the recontoured waste dumps at the Vernal Mine. Ten replication plots and several control plots were established. See attached exhibits.

Each of the replication plots was approximately one acre in size. Seed bed preparation consisted of grading the slope to a 2:1 angle with a D-8 dozer. No fertilizer or mulch was applied. Seeding on the contour was accomplished using a ten foot wide rangeland seed drill. The seed was drilled $\frac{1}{2}$ " - $\frac{1}{2}$ " deep. The species and rate of application where used is as follows:

		1b	s/acre
1.	Agropyron intermedium (Greenar)	Intermediate wheatgrass	12.0
2.	Agropyron spicatum (Whitmore)	Bluebunch wheatgrass	11.4
3.	Agropyron riparium (Sodar)	Streambank wheatgrass	19.1
4.	Agropyron trichophorum (Luna)	Pubescent wheatgrass	24.7
5.	Elymus junceus	Basin wildrye	11.3
6.	Oryzopsis hymenoides	Indian ricegrass	12.2
7.	Poa ampla (Sherman)	Bluegrass	7.3
8.	Astragalus cicer (Lvtana)	Milkvetch	11.1
9.	Medicago sativa (Ladak)	Ladak alfalfa	2.0
10.	Medicago sativa (Lahontan)	Lahontan alfalfa	2.0
11.	Melilotus officinalis	Yellow Sweet Clover	2.0

In August, 1979, the Soil Conservation Service did a visual survey of the plots. Their feelings at that time were "good to fair success".





STAUFFER CHEMICAL COMPANY PROJECT: VERNAL RECLAMATION TITLE SCS PLANTING 1979

STAUFFER CHEMICAL COMPANY TEST PLOTS - 1979

Stauffer Chemical Company - Vernal Mine

In order to compile more accurate data for a successful revegetation program at Vernal, Stauffer Chemical Company initiated a species testing program of its own at the mine site in October, 1979. The results of this program, in conjunction with the results of the Division of Wildlife Resources plots and the Soil Conservation Service plots planted at the mine in 1978, will provide the reliable information that is needed to prepare a successful long range revegetation plan.

The test plots were established on an old waste dump slope covering approximately 0.9 acres. The slope aspect ranges from southwest to southeast with a slope angle approximately $2\frac{1}{2}:1$. The plots were placed in strips along the contour of the slope with each plot approximately 10' wide x 250' long.

The only seed bed preparation consisted of ripping the slope along the contour to a depth of 2-3 feet.

The plots were arranged in the following order (top to bottom). See attached exhibit.

- 1. Grass seed mix
- 2. Grass seed mix and fertilizer
- 3. Grass seed mix
- 4. Grass seed mix and fertilizer
- 5. Control strip bare
- 6. Brush seed mix
- 7. Brush seed mix and fertilizer
- 8. Brush seed mix
- 9. Brush seed mix, straw mulch and fertilizer
- 10. Control strip bare
- 11. Grass seed mix and brush seed mix
- 12. Grass seed mix and brush seed mix
- 13. Grass seed mix, brush seed mix, fertilizer and straw mulch
- 14. Grass seed mix, brush seed mix, fertilizer and straw mulch

The seeding mixtures were a combination of native and introduced species. These were selected from a visual check of the 1978 experimental plots established by the Soil Conservation Service and Division of Wildlife Resources. The mixtures and rates of application are as follows:

Grass seed mix

			IDS/acte
1.	Agropyron riparium (Sodar)	Streambank wheatgrass	4
2.	Agropyron trichophorum (Luna)	Pubescent wheatgrass	3
	Elymus junceus	Russian wildrye	4
	Agropyron intermedium	Intermediate wheatgrass	2

The /acro

			lbs/acre
5.	Agropyron spicatum	Bluebunch wheatgrass	4
6.	Oryzopsis hymenoides	Indian ricegrass	3
7.	Medicago sativa (Lahontan)	Lahontan alfalfa	3
	Melilotus officinalis	Yellow sweet clover	2
		Pure live seed	25 lbs/acre

Brush Mix

			lbs/acre
1.	Artemesia tridentata	Big sagebrush	7
2.	Purshia tridentata	Antelope bitterbrush	22
		Pure live seed	29 Ibs/acre

The fertilizer, 16-20-0, was applied with a broadcast hand spreader at 400 lbs/acre. This will provide 64 lbs/acre available nitrogen and 80 lbs/acre available phosphate. The fertilizer was applied before seeding so that the discs of the rangeland drill could work the fertilizer into the soil.

The straw mulch was applied by hand before seeding to allow the drill discs to crimp the straw into the soil. A second crimping of the straw was done by the drill after seeding.

The seed was planted 1/2" to 3/4" deep with a teen foot wide rangeland drill.

Germination, growth, and percent surface cover for these replication plots will be recorded. The results of fertilizing, mulching, benching, or any combination of these techniques can then be determined.

PLOT NUMBER - N W 4 N 0 1 0 0 - N W 4 BENCH BENCH BENCH BENCH BENCH ELEVATION 6650 TOP OF DUMP

BOTTOM OF DUMP

2. SRASS SEED MIX AND FERTILIZER
3 GRASS SEED MIX
4 GRASS SEED MIX AND FERTILIZER
5 CONTROL STRUCT 6232 TO DENTROL STOLET BARE

TEGRASS SEED MY AND BRUSH SEED MIX
TO GRASS SEED MY AND BRUSH SEED MIX
TO GRASS SEED MY AND BRUSH SEED MIX
TO GRASS AND BRUSH SEED MIX PLUS FERTILIZER AND STRAW MULCH
TAGRASS AND BRUSH SEED MIX PLUS FERTILIZER AND STRAW MULCH BEHLSH SEED 'NY BYD FERTILIZER AND STRAW MULCH 7 BRUSH SEED MIN AND FERTILIZER 6 BRUSH SEED MIK BEAULT SEEL TIN PLOT REPLICATIONS GRASS DEEL MIX

PLOT SIZE IOST X 225-1958T TOTAL RESUIDATION AREA - . 90 ACRES

STAUFFER CHEMICAL COMPANY

PROJECT C TAL SETLAMAT TO

TITLE 0.

A T T T THE SECOND AND THE SECOND SEC

UTAH DIVISION OF WILDLIFE RESOURCES PLOTS - 1978

Stauffer Chemical Company - Vernal Mine

As a part of the November, 1978, Soil Conservation Service experimental revegetation test program, the Division of Wildlife Resources, also, established some test plots. See attached sketches. The test area consisted of a species adaptation plot, a hand broadcast area, and a cyclone broadcast area.

Individual plots that comprise the species adaptation plot, 400 in all, measure 3' x 5'. The overall dimensions of the species adaption plot is 100' x 60'.

The hand broadcast area surrounds the species adaptation plot and covers 0.6 acres. The cyclone broadcast area lies to the northeast and is one acre in size.


Seed bed preparation for the species adaptation plot consisted of running a D-8 dozer over the area to loosen the ground with the dozer tracks. A furrow, ½" deep, was dug through each of the 3' x 5' plots. Seeds were sprinkled in the furrow about ½" apart and later covered with the fines removed from the furrow. No specific seeding rate was used. (A detailed layout of the species adaptation plot is attached).


Seed bed preparation for both the hand and cyclone broadcast plots consisted of using a pipe harrow to prepare the ground. The areas were then seeded and pipe harrowed again to cover the seeds. The seeding rate for each of these two areas is unknown.

The scientific and common name for the seeds used in the Division of Wildlife Resources plots appear on the attached sheets.

No fertilizer, mulch or irrigation was used for any of the above described plots.

Jim Davis of the Division of Wildlife Resources conducted a visual survey of these plots in July, 1979. He planned on running some survival transects later in the year.





A THE TAX PROPERTY OF THE PARTY OF THE PARTY

PROCECT VESTAL REGLAMATION 1772E 303 5_417.NS 978

SS-D-60 8, 9 November 1978 Stauffer Chemical Co. Planting

We used a small pipe harrow to help prepare the ground, then we used a cyclone seeder for the smaller cleaned seed and hand broadwasted the remainder of the seed. The area was again pipe harrowed. The following species were used in the "seeding" near the species adaptation plots:

SOIL CONSERVATION SERVICE Hand Broadcasted Agropyron riparium (Sodar) Agropyron spicatum (Whitmore) Agropyron trichophorum (Luna) Poa ampla (Sherman) Astragalus cicer (Lutana) Medicage sativa (Lahontan) Melilotus officinalis	POUNDS PER ACRE Unknown "" "" "" "" "" "" "" "" ""
UTAH STATE DIVISION OF WIDLIFE RESOURCES Cyclone Seeded Kochia prostrata Artemisia tridentata vaseyana Chrysothamnus nauseosus Ceratoides lanata Atriplex canescens Linum lewisii Sanguisorba minor Agropyron cristatum Medicago sativa Melilotus officinalis Dactylis glomerata	4 2 2 2 2 1 1 1 1 1

Utah Stat Division of Wildlife Re: rces Stauffer Chemical Company Vernal, Utah

	Seeded See attached sheet for species and seeding rate	
	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 15 17 25	Soil Conser Service Plot. on Slope
CREST of	Z	
H.11	13 14 15 16 17 18 19 20 Hand Brondcast	

Species Adaptation Plots - 100'long 60' Wide Each plot 3'x5'

Not to Scale

		Chemical	Company	_	vember 8,		, Ji	ND, KG, RW	Page 1	of 2
	SS-D-60 100	90	80	70	Row number	ers_ 50	-> -40	30	20	10 × N
1	ÇHNA	T -	1	1	1	<u> </u>	1	1		-
20	Ū5−71				· i					•
	Cache Co.						}			
,	EDM		<u> </u>	 	 	<u> </u>	<u> </u>		<u> </u>	
19	ARTR		ARTR		ARSP		ARTR		ARTR	; ;
	Dove Crk. EDM		U76-76		EDM		U5 4 -77		U1-76	
	EDM		Clear Crk				Gr. Canyo	Ω	Trough Sp	3 .
18	ARTR		CEMO		PUTR	 	ARTR	!	ARTR	
	U8-74		U28-63		U102-69		U74-75	:	บ37–76	
	Top Maple Canyon		Salina Canyon	1	Tropic Res.		Dove Crk	• [Evanston	i
17	COST	 	ARTR		PUTR	 	CEMO		EULA	
	U23-67		บ5-71		U8875	•	U7-67	•	บ54-77	i
	Black Mtn.	•	Fairview		Dregon		Ephraim		Wagon Rd	•
16	EULA	 	Canyon ATCA		ATCA	 	Canyon ARNO	<u> </u>	KOPR	:
10	U45-77		U92-77		U209-74		U26-73		U8-77	
I	Dia. Mtn.		Hunting.	•	Fry Can.		Omar's		C.F.	
15	ARNO	 	CEMO	 	PUTR		KOPR		ATCA	
12	U27-73		U41-63		V13-69		U2-77		U117-77	
	Beaver		S.F. NF		Cove		C.F.		Omar's	
_	Bench ATCA	-	ATCA	ļ	Valley ARTR	<u> </u>	ATCA		ARTR	
14	V103-74	İ	U124-77		W7-77		W88-74		U7-77	
	C.F.		Montana		Spr. City	d	Jericho		C.F.	
	PUTR	 	PUTR		nocm	ļ	******		\	
13	U47-70		U28-76		COST U20-75		KOPR U19-77		ARTR U19-75	
	Colorado	ļ .	C.Olsen		A.F.		C.F.		Salina	
1									Canyon	
12	PUTR U93-69		ATCA U218-77		PUTR		ARNO		COST	
	Cove Vlly.		Grantsvl		U72-76 Eureka		U4-74 Alton		U21-73 Mona	
								•	:	
11	KOPR U2-77		PUTR U50-71		ARNO		ARTR	t .	ARTR	
	C.F.		Spring		U9-77 Wingate		U9-75 Omar's		U71-75 Di . Crk.	
			City		Mesa		Sind! 3		!	i
10	ATCA		ATCA		EULA			·	EULA	
	U209-74 Fry Cnyn.		U36-71 Excel		U40-77 Sunglow				U10-77	: :
	i i i i i i i i i i i i i i i i i i i		Canyon		Park				Hatch	1
9	ARNO		ATCO	*	KOPR	İ	COST	1	ARTRw	
	U14-74 Alton		U23-74 Ephraim	· :	U1-76 C.F.		J24-69	į	U2-76	
4	Arcon		Eburarm	1			Richfield	1	Omar's	!
8	ARTRV		ARTRw		ARTR	İ	PUTR		ARTR	
	U9-75 Omar's		U2-77		U70-7 6		V11-71	j	U12-75	
	Omar s		Wyoming		Moab		Reese Fl		Hobble Creek	
7	AGTR	FEOVdu	AGIN	AGIN	ELSA	ELSA	<u> </u>	<u> </u>	J.CCR	
-	Luna Pullman	U3-77	U33-71	U22-70	U8-73	U8-73				İ
	t attmgu	Wash	S.Dak.	Wash.	Omar's	Omar's		1		1
6	ELCI	SIHY	SIHY	AGSP	AGCR	AGIN	AGRI	1		
-	U12-77	U9-74	U8-73	U4-75	U32-72	1	искі µ265	•	•	
	C.F.	Gunnison	Ras.Fld.	Reese F1	Can.	Wash.	Aberdeen			i : !
5	ELCI	ELCI	ELJU	ELJU	DRHY	AGSP	SIHY	ORHY	ORHY	!
	U1-71	U8-67	บ4-75		U23-68	f		U8-62	U29-75	!
	Manti	Dregon	Manti	Trmntn.		Reese F1	Gunnison	Ft.Green		1
4	ARNO	FEOVdu	AGCR	ELJU	AGDE ,	AGCR	ELJU	ELGI	AGSP	ORHY
	U17-75	U3-69	U5-74		U7-75			U1-71	U1-72	U28-75
	W.James	Wash.	C.F.	Montana	Omar's	Canada	Montana	Manti	Aberdeen	Ephraim
,		DRHY U8-62	ARNO 115-75	POA spp				AGIN	SIHY	FEOV
		00-02 Ft.Green	U5-75 Manti	U1-76 College	U2-65 Aberdeen			U33-71 S.Dak.	U8-73 Rass.Fld	U3-69 Wash.
	DAGL	ORHY	ORHY	AGSP	AGTR	ORHY	ELJU	ELCI	FEOV FEOV	ELCI
	U3-76	U28-75	Nezpar	Whitmore		,		U8-67	บ3-70	U12-77
		N.Ephraim AGSP	Aberdeen	Aberdeen ELCI	Abrdn. PO spp			Dregon AGCR	Wash.	C.F.
	บ3-70	J1-72	Sodar	P5797				U5-74	U17-75	U3-76
1	Wash.	Abrdn.			College	1		C.F.	W.James	Dry. Mes.
. ∤		J !		J				1 1		<u> </u>

,	SS-D-60	onemical	Company	<i></i>	- Row Number		.	-	rage 2 of 2	\mathcal{I}^{i}
	200	190	180	•		•		3.20	120	
		130	180	.170	160	150	140	130	120	110
20	•	1	1	i					ATCO	Ι
		l .	,	l					U73-74	I
	ARTRV	ı 	ARNO	Γ	ARNO	-	ARNO	 	C.F. ARTRw	
19	U49-77	l .	U17-75	i	U5-75		U17-75		U2-76	l .
	Hobl.Crk.	l	W.James	•	Manti		W. James)	Omen's	I
	ARNO	 	1 277mp	 	1	ļ	<u> </u>			<u> </u>
18	U5-75	1	PUTR U31-76	1	KOPR U12-77		CEMO U44-68		ATCO U21-74	1
	Manti	l .	Ft.Green	ł –	C.F.		Richfield	d	Mex.Hat	1
		 					<u> </u>	<u> </u>		
	ATCO U2-73	i	COST	1	COST		ARTRV		ARTR	
1,	Gunnison	i	U20-75 A.F.	1	U21-73 Mona		U49-77 Willow		U70-75 Moab	1
	1	I	*****	1	Tions		MITIOM		Moab	1
76	ARTRV	j	PUTR		ARTRV		PUTR		ARTRw	
	U37-76	i .	U102-69		U19-75		U72-76		U2-77	1
	Wyoming	ı	Tropic Res.	1	Salina Canyon		Eureka		Wyom.	1
	ARTR	1	PUTR		ARTRV		PUTR	 	COST	
	J74-75	ı	บ31-76	1	บ7-77	1	U111-71		U24-69	1
٠	Dove Crk.	1	Ft.Green	1	Spr.City		Reese Fl.		Richfield	1
	EULA		ARTRV	-	ATCA	 	Trimp	 	1.50	
	U45-77	1	U8-74	1	U88-74		PUTR U50-71		ATCA U36-71	1
	Blk. Mt.	1	Top Maple	1	Jericho	1	Sp. City		Excel.	I
	<u></u>	P	Canyon	L		<u> </u>			Canyon	Ĺ <u> </u>
	ARTR U71-75	ı	ARTR U1-75	1	ATCA		ATCO		KOPR	
	Dia.Fk.	1	H. Crk	l '	Ul17-77 BookCliffs	1	U23-74 Ephraim		U18-76 C.F.	I
		·		1	DOCKOTITE	1	Phirarm		C.F.	I
	COST		ATCO		ARTRV		ATCA	-	ARNO	
	U23-67 Blk.Mt.	ı	U21-74 Mex.Hat	1	U5-71	1 '	U218-77		U9-77	i
	BIK.ML.	I	Mex.nal	1	Fairview Canyon	1 1	Gransvl.		Wingate Mesa	i
_	ARTRw	1	KOPR	f	KOPR		СЕМО	 	ATCA	
	J7-77	ı	บ8-77	1	U14-77	1	U41-63	1	บ92-77	I
	Wyo.	i	C.F.	1	C.F.	1	SFNF	1	Huntgt.	i
1	EULA		CEMO		CEMO	 	ARNO		ARNO	
	U40-77	1	U28-63	1	U7-67		U27-73		U26-73	I
	Sunglow	;	Salina	1	Ephraim		Beaver	1	Nevada	i
	Park		Canyon	1	Canyon		Bench			
N9	EULA U-10-77		CEMO U44-68	1	PUTR U88-75	1	PUTR U28-76	1	ATCAa U124-77	i
	Hatch		Richfield		Oregon		C.Olsen		Montana	
	EULA		KOPR		ATCO		ATCA		PUTR	i
_ [U54-77 WR Ridge		U12-77 C.F.	1	U2-73		U103-74	1	U47-70	I
) }	LILE	VIMU	PEPA	ASGA	Gunnison ASCI		C.F.	ASCI	Colo.	ASGP
,	บ15-75	U10-75	บ-5-73	บ7-73	บ9-72	U5-73	บ15-75	U15-76	U14-77	Whitmore
ا . ر	Cdr.Pt	12-Mile	Rass.F1	Turkey	1	Rass.Fl.		Wyo.	Nephi	l
3	LILE	Canyon PEEA	PEEA	ASCI	MESAn	ASCI	PEEA	PEEA	Canyon	ORHY
	U16-74	U4-70	U1-70		l I	1		U4-70	VIMU U10-75	NezPer
1	ReeseFl.	RassFld	Payson	Aberdn	Idaho	Maj.Fl	Payson	RassFld.	12-mile	
1	PEEA	ASCI	MEOF	LILE	LILE	PEEA	MESAn	LILE	LILE	AGRI
וכו	U2-70	U15-76 Wyoming	1		1 1	1)	U16-74	U9-76	Sodar
6	Payson	MAOUITHE	S.Dak.	Blk.Hl.		Payson Canyon	Idaho	ReeseF1.	Montana	ı
	VIMU	MEOF		•	PEPA	LILE		ASCI	SAMI	ELCI
	US-76	D11-7 4	T21-76	129-76	T14-77	€7-73	T20-73	U1 9 -77	U21-76	P5 79 7
	Philly Field	Minn.	USSR	Mont.		Black Hills	Jericho	Mont.	USSR	
	ASFA	SAMI	PEPA	SAMI	ASCI	SAMI	ASGA	MEOF	MEOF	PEHU
3	บ12-75	U22-77	U12-73	บ5–75	บ19-77	U22-77	U4-73	U10-77	U11-74	U2-73
!	ReeseF1.	College	Cedar	Maxfld.			1 ~	S.Dak.	Minn.	SaltLak
	SAMI	Farm PEHU	City HEUN	PEEA	Mont. HEUT	Farm ASCI	Farm VIMU	PEEA	PEHU	MESA
i	46.11.11.		U1-77	U7-70				U7-70	U3-73	U4-76
	U22-77	ช3–75		[-,	1		L	Payson	Bld.Mt.	Idaho
2		Bld.Mt.	Ephraim	Payson	Duchsne.	functum.		•	• •	-
2	U22-77 Oregon	Bld.Mt.	Ephraim			<u> </u>	Field			<u></u>
2	U22-77 Oregon MESA	Bld.Mt. MESA	Ephraim PEHU	PEPA	HEUN	SAMI	Field ASFA	HEUT	SAMI	MESA 1157-67
2	U22-77 Oregon	Bld.Mt.	Ephraim		HEUN U1-77	SAMI U5-75	Field ASFA U12-75			MESA U57-67 Nebrask

GRASSES

SIHY	ORHY	ORHY	ORHY	ORHY	ORHY	FEOVdu	FEOVdu	FEOVdu	ELSA	ELJU	ELJU	ELJU	ELGI	ELCI	ELCI	ELCI	DAGL	, AGSPI	AGSP	AGRI	AGRI	AGIN	AGIN	AGDE	AGCR	AGCR	Alpha Code
Sitanion hystrix Sitanion hystrix	Oryzopsis hymenoides	Oryzopsis hymenoides	Oryzopsis hymenoides	Oryzopsis hymenoides	Oryzopsis hymenoides	Festuca ovina duriuscula	Festuca ovina duriuscula	Festuca ovina duriuscula	Elymus sabulosus	Elymus junceus	Elymus junceus		Elymus giganteus	Elymus cinereus	Elymus cinereus	Elymus cinereus	Dactylis glomerata	Agropyron spicatum inerme	Agropyron spicatum	Agropyron riparium	Agropyron (riparium)	Agropyron intermedium	Agropyron intermedium	Agropyron desertorum	Agropyron cristatum	Agropyron cristatum	Scientific Name
U9-74 U8-73		U23-68	U28-75	U8-62	U29-75	U3-70	U3-77	U3-69	U8-76	U10-76	U12-68	U4-75	U1-71		U12-77	U8-67	U3-76	U1-72	U4-75		U2-65	U22-70	U33-71	บ7-75	U5-74	U32-72	U#
90-6 80-6	110-7	60-5	90-2	90-3	100-3	100-1	90-7	90-4	60-7	70-5	70-4	80-5	100-5	110-4	100-6	90-5	100-1	90-1	50-5	110-5	60-3	50-6	80-7	60-4	30-1	60-6	Plot # *
Gunnison Rassmussen Field	NezPer		North of Ephraim	Reese Flat	Reese Flat	Washington	Washington		Oman's	Tremonton	Montana	Manti	Manti Dump	P 5 79 7	· College Farm	Oregon	College Farm	Whitmore	Reese Flat	Sodak	Aberdeen	Northrup-King, Wash.	South Dakota	Oman's	College Farm		Location
Bottlebrush Squirreltail Bottlebrush Squirreltail	Indian ricegrass	Indian ricegrass	Indian ricegrass	Indian ricegrass	Indian ricegrass	Hard Sheep fescue		Sheep		Russian wildrye	Russian wildrye	Russian wildrye	Russian wildrye	Great Basin wildrye	Great Basin wildrye	Great Basin wildrye	Orchard grass	Beardless Bluebunch wheatgrass	Bearded Bluebunch wheatgrass	Streambank wheatgrass	Streambank wheatgrass	Intermediate wheatgrass	Intermediate wheatgrass	Crested wheatgrass	Fairway wheatgrass	Fairway wheatgrass	Common Name

*NOTE: The first number in the Plot # is the row and the second number is the plot.

FORBS

19.6

	, MESA1	MEOF					LILE	нвит	HEUN	ASGA	ASFA				ASCI	Alpha Code
	Medicago sativa ladak	Melilotus officinalis					Linum lewisii		Helianthella uniflora	Astragalus galegiformus	Astragalus folcatus				Astragalus cibarius	Scientific Name
the second	U10-// U16-77 U4-76	U11-74	U15-75	U16-74	บ7-73	u9-76	U20-73	U12-69	U1-77	U4-73 U7-73	U12-75	U18-6/ U18-77	U19-77	U9-72	u15-76	U
and number is the plot.	130-3 180-5 110-2 200-1	120-3 190-4	130-5 200-7 160-7	1/0-5	150-5	170-4	140-4 160-5	160-2	110-7 180-2 160-1	140-3 170-7	200-3 140-1	170-6	130-4	160-3 150-6 160-7	190-5 130-7	Plot #*
		Minnesota South Dakota	Cedar Point	Reese Flat	Black Hills	Montana	Jericho	Duchesne	Ephraim Canyon	Turkey Turkey Whitmore	Reese Flac	Aberdeen	Montana	Majors Field	Wyoming College Farm	Location
	Ladak alfalfa	Yellow sweetclover					Lewis flax		Oneflower helianthella	Garcerno	Caled formus	ciallanod milkvetch			Silky mlikvetch	Common Name

*NOTE: The first number in the Flot # is the row and the second

(FORBS Continued)

	FILE	VIMIN						SAMI					PEPA		FERIC						PEEA	MESAV		MESAn	Alpha Code
	vigulera multiflora nevadensis	****						Sanguisorha minor				- cuoremon barmerr	Deportones no legal		Penstemon humilis						Penstemon eatonii	Medicago sativa rambler		Medicago sativa nomad	Scientific Name
U8-76	U10-75	011-70	1121_76		U22-77	;	U5-75	77	U12-73		U5-73	014-//	 - 	U3-73	U2-73		U2-70	U4-70	0/-/0	! !	U1-70	U57-67		U59-76	U#
140-2 200-4	120-6 200-7	180-4	200-2	150-3	190-3	170-3	150-1	180-3	170-1	150-7	180-7	160-4 120-7	190-2	120-2	180-1 110-1	200-5	130~6 150~5	190-6	170-2 130-2	140-6	180-6	190-1	160-6	140-5	Plot # *
Philly Field	12-Mile Canyon	U.S.S.R			Oracon	mayrield	Oregon		Cedar City	Kasmussen Fleid	Dogwood 11.	Nephi Canyon	המדת נוסמוורמדוו	Bald Mountain	Salt Lake	rayson Canyon	Rasmussen'.Field	Dahl's			Pavson Canvon	Nebraska	rgano		Location
	Nevada showy goldeneye						Small burnet					Palmer penstemon			Low penstemon					Earon penstemon		Rambler alfalfa	Nomad Alfalfa	Comment Name	Compos Nation

*NOTE: The first number in the Plot # is the row and the second number is the plot.

TREES, AND SHRUBS

17 / C

ARTR ARTRv	'.RTRw	-	ARTRV	ARTR		Alpha Code ARNO
Artemisia tridentata Artemisia tridentata vaseyana	Artemisia tridentata wyoming- ensis		Artemisia tridentata vaseyana	Artemisia tridentata		Scientific Name Artemisia nova
U1-76 U76-76 U54-77	U19-75 U2-77 U7-77	U1-75 U5-71 U9-75 U7-77 U8-74	U74-75 U49-77	U9-77 U70-76	U5-75 U14-74 U26-73 U27-73	u# u17-75
200-11 20-49 80-19 160-19 40-19	180-14 160-16 160-16 80-8 120-16 120-14 160-15	180-13 80-17 160-12 100-8 60-14	20-11 20-13 200-19 140-17	120-10 140-10 60-11 120-12 60-8	180-19 160-19 · 200-18 100-9 40-16 100-15	Plot # * 100-4 140-19
Trough Springs Clear Creek (EDM) Dove Creek Mouth of Green Canyon	Salina Canyon Pinedale, Wyoming Lone Pine	Hobble Creek Gooseberry Flat Pete Bishop's Log Spring City Ton Manle Canvon	Diamond Creek Willow Creek	Wingate Mesa Moab	Manti Dump Alton Nevada Beaver Bench	Location Walt James College Farm
Basin big sagebrush Mountain big sagebrush	Wyoming big sagebrush		Mountain big sagebrush	Basin big sagebrush		Common Name Black Sagebrush

*NOTE: The first number in the Plot # is the row number and the second number is the plot.

TREES and SHRUBS (Cont'd)

CEMO	CHNA		CEMO			ATCO											ATCA	ABCT			ARTRW	Alpha Code
Cercocarpus montanus	Chrysothamnus nauseosus salicifolius		Cercocarpus montanus			Atriplex confertifolia											Atriplex canescens	Astronia de continuo			Artemisia tridentata wyomingensis U2-76	Scientific Name
U44-68	5-77	U7-67 U28-63	U41-63	U23-74	U21-74 .	U2-73	U124-77	U88-74		1136-71	U218-77	0++1	11117-77	U73-74	U92-77		U103-74		U37-76	U	nsis U2-76	U#
140-18 180-9	180-10	140-11 160-10 80-18	140-13	180-12 80-9	120-18	200-17	80-14 120-9	40-14 160-14	120-14	80-10	80-12	160-13	20-15	120-20	80-16 120-11	140-8	100-14	200-16	20-18	120-19	20-9	Plot # *
West of Richfield	Sardine Pass	Ephraim Canyon Salina Canyon	SFNF	Ephraim Dump	Mexican Hat	Gunnison	Bridger, Montana	Jericho	bycet canyon	Evoel Canvon	Grantsville	DOOR CITIES	Try Canyon Rook Cliffs	College Farm	Huntington		College Farm		Evanston		Omen's	Location
Mountain mahogany	Mountain rubber rabbitbrush		Mountain mahogany			Shadscale											Fourwing salthush	•		,	Wyoming big sagebrush	Common Name

*NOTE: The first number in the Plot # is the row and the second number is the plot.

TREES AND SHRUBS (Cont'd)

	·			-		_		PUTR				•					KOPR							COST	Alpha Code
								Purshia tridentata									Kochia prostrata							Cowania stansburiana	Scientific Name
U102-76 U102-69	U72-76	U28-76	U50-71	U47-70	บ88-75	.U31-76	U93-69	U111-71		u2-77	U14-77	U1-76		U12-77		U8-77	U18-76		U24-69		U21-73	U20-75		U23-67	U#
60-18 180-16	60-12 140-16	80-13 140-9	80-11 140-14	100-13 120-8	160-13 160-17	160-18	100-12	140-15	40-15	100-11	160-11,	60-9	150-8	160-18	180-11	20-16	120-13	120-15	40-9	160-17	20-12	180-17	200-12	100-17	Plot # *
Tropic Reservoir Tropic Reservoir	Eureka	Cliff Olsen	Spring City	Maybell, Colorado	Bend, Oregon	Fountain Green	Cove Valley	Reese Flat		USSR	USSR	USSR		USSR		USSR	USSR		North of Richfield		Mona	American Fork	:	Black Mountain	Location
					-			Antelope bitterbrush								;	Prostrate summer cypress							Stansbury Cliffrose	Common Name

*NOTE: The first number in the Plot # is the row and the second number is the plot.

TREES & SHRUBS (Cont'd)

Diamond Mountain Wagon Road Ridge	Hatch	Sunglow Park Common winterfat	Location Common Name
160-16 20-17 200-8	20-10 .	60-10	Plot # *
U45-77 U54-77	U10-77	U-40-77	U#
		Ceratoides lanata	Scientific Name
		CELA	Alpha Code

*NOTE: The first number in the Plot # is the row and the second number is the plot.